

-				25)
			•	207
		· · ·		25)
			PID/ABCB 209/64	1
			21 September 1964	
		•	Copy #	!
	MEMORANDUM FOR:	Chief, Nuclear Ene	rgy Division, OSI	
5	ATTENTION:		nsnb/ned/osi	25)
	ATTEMITION.			257
	THROUGH:		s Branch, Reconnaissance	
1.11	ር ₋ ጋ	Group, CGS		
	FROM:	Chief, CIA/PID(NPI	c)	
	SUBJECT:	Alleged Vochov Res	earch Institute, Vochov,	
		Czechoslovakia		
-	REFERENCES:	Requirement R	-s14-81,407	
	Reprintations.	CIA Project No. C	839-64	
	1 Whien	emorandum is in rest	oonse to the above referenced re-	
	quirement askin	g for a photographic	evaluation	2:
				2:
		<u> </u>		2:
			and the same to sate of ort	
	3. The si	te of the alleged re	esearch institute was located at ir quality photography from KH7	
	3. The si	te of the alleged re	esearch institute was located at ir quality photography from KH7	
	approximately 4	9-45N 13-16E, on fai	ir quality photography from KH7	24
	4. In gen	eg-45N 13-16E, on fai	the installation as imaged on	25)
	4. In gen	eg-45N 13-16E, on fai	the installation as imaged on The institute was formerly a wire	24
	4. In gen photography approclateral reportations and the same areas, services.	eg-45N 13-16E, on fai	the installation as imaged on The ine institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot	25)
	4. In gen photography approclateral reportant the some areas, server are	neral the layout of the dears to agree that the couter walls of the same purpose the indicates that the	the installation as imaged on The me institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot suspect installation's layout	25)
	4. In gen photography appropriateral reportant factory and the some areas, service would be consistent of the consistent	eg-45N 13-16E, on fai meral the layout of the means to agree of the court mentioned that the cuter walls of the same purpose the indicates that the court with that of a court with that of a court with the court wit	the installation as imaged on The ine institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although	25) 0-
	4. In gen photography appropriateral reportant factory and the some areas, service would be consistent of the consistent	eg-45N 13-16E, on fai meral the layout of the pears to agree of the court mentioned that the cuter walls of the same purpose the indicates that the court with that of a	the installation as imaged on The ine institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although	25) 0-
	4. In gen photography approximately 4 photography approximately approximately 4 photography approximately 4 photography approximately and the some areas, service graphic evidence would be consistent and approximately approximately 4 photography approxima	pe-45N 13-16E, on fair deral the layout of the cears to agree for mentioned that the at the outer walls of the red the same purpose are indicates that the stent with that of a re is no evidence of the is visible on one	the installation as imaged on The ne institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although side of the site.	25) 0-
	4. In gen photography appropriate and the some areas, service graphic evidence would be consistent as possible fence. 5. The compossible that the	g-45N 13-16E, on fair deral the layout of the same to agree the same purpose are indicates that the stent with that of a re is no evidence of the is visfule on one conclusion reached the alleged institute.	the installation as imaged on The ne institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although side of the site. erefore is that, although it is e is involved in the production of	25) 0-
	4. In gen photography appropriate and the some areas, service graphic evidence would be consistent a possible fence. 5. The corpossible that the store areas area	eral the layout of the cars to agree the true that the cuter walls of the cars to ame purpose the indicates that the catent with that of a catent with that of a catent with the catent of the catent with that of a catent with the catent with that of a catent with the catent warts, there is no catent warts.	the installation as imaged on The ne institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although side of the site. erefore is that, although it is e is involved in the production of photographic evidence to support	25)
	4. In gen photography appropriate and the some areas, service graphic evidence would be consistent a possible fence. 5. The corpossible that the store areas area	eral the layout of the cers to agree the couter walls of the cert mentioned that the cert mentioned that the cert with that of a cert with the cert with the certain of the alleged institute parts, there is no the connect this	the installation as imaged on The ne institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although side of the site. erefore is that, although it is e is involved in the production of	25)
	4. In gen photography appropriately 4 for the photography appropriately and the some areas, service graphic evidence would be consistent at the possible that the atomic reactor this possibilities.	eral the layout of the cers to agree the couter walls of the cert mentioned that the cert mentioned that the cert with that of a cert with the cert with the certain of the alleged institute parts, there is no the connect this	the installation as imaged on The ne institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although side of the site. erefore is that, although it is e is involved in the production of photographic evidence to support	25) 25)
	4. In gen photography appropriately 4 for the photography appropriately and the some areas, service graphic evidence would be consistent at the possible that the atomic reactor this possibilities.	eral the layout of the cers to agree the couter walls of the cert mentioned that the cert mentioned that the cert with that of a cert with the cert with the certain of the alleged institute parts, there is no the connect this	the installation as imaged on The ne institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although side of the site. erefore is that, although it is e is involved in the production of photographic evidence to support	25)
T GEO	4. In gen photography appropriately 4 for the photography appropriately and the some areas, service graphic evidence would be consistent at the possible that the atomic reactor this possibilities.	eral the layout of the cers to agree the couter walls of the cert mentioned that the cert mentioned that the cert with that of a cert with the cert with the certain of the alleged institute parts, there is no the connect this	the installation as imaged on The ne institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although side of the site. erefore is that, although it is e is involved in the production of photographic evidence to support	25) 25)
Excl. cos fr	4. In gen photography appropriately 4 for the photography appropriately and the some areas, service graphic evidence would be consistent at the possible that the atomic reactor this possibilities.	eral the layout of the cers to agree the couter walls of the cert mentioned that the cert mentioned that the cert with that of a cert with the cert with the certain of the alleged institute parts, there is no the connect this	the installation as imaged on The ne institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although side of the site. erefore is that, although it is e is involved in the production of photographic evidence to support	25) 25)
Excluded for	4. In gen photography appropriately 4 for the photography appropriately and the some areas, service graphic evidence would be consistent at the possible that the atomic reactor this possibilities.	eral the layout of the cers to agree the couter walls of the cert mentioned that the cert mentioned that the cert with that of a cert with the cert with the certain of the alleged institute parts, there is no the connect this	the installation as imaged on The ne institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although side of the site. erefore is that, although it is e is involved in the production of photographic evidence to support	25) 25)
Exc! end for for for the control of	4. In gen photography appropriately 4 for the photography appropriately and the some areas, service graphic evidence would be consistent at the possible that the atomic reactor this possibilities.	eral the layout of the cers to agree the couter walls of the cert mentioned that the cert mentioned that the cert with that of a cert with the cert with the certain of the alleged institute parts, there is no the connect this	the installation as imaged on The ne institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although side of the site. erefore is that, although it is e is involved in the production of photographic evidence to support	25) 25)
Exclusive for	4. In gen photography appropriately 4 for the photography appropriately and the some areas, service graphic evidence would be consistent at the possible that the atomic reactor this possibilities.	eral the layout of the cers to agree the couter walls of the cert mentioned that the cert mentioned that the cert with that of a cert with the cert with the certain of the alleged institute parts, there is no the connect this	the installation as imaged on The ne institute was formerly a wire the closely spaced buildings, in as a fence or security wall. Phot e suspect installation's layout wire factory or light fabrication unusual security measures although side of the site. erefore is that, although it is e is involved in the production of photographic evidence to support	25) 25)

Declassified in Part - Sanitized Copy Approved for Release 2012/11/20 : CIA-RDP78T05439A000400160022-0

25X1

25X1

	· · · · · · · · · · · · · · · · · · ·		7	a niews	in Tr		·-			- committee	
			1	m 34		للأ لد د			***	•	
					.*.						. •
,		**		- ,		, i		· · ·	_	· .	
. 1		•			-		Do (
		. *					Page 2	2		•	
	-										
	6.	The for	llowing	material	s were u	ıtilized	i in wor	k perfor	med		
	OH CHIE	project			•						
5X1											
	Maps			· ·			-				
	USTCC O	231 - 9982	-100A S	ECRET	e			25X	1		
	7.	The ph	oto anal	.yst on ti	his proi	ect was	· ·	<u> </u>			
	He may 1	be conta	cted on	extension	n 2934 s	hould y	ou have	further	question	ເຣ	
	· '		project.	•		ſ					
	8. require	This m	emorandu	m with e	nclosure	comple	tes the	referen	ced	•	
	redurte	ment.									
		,	•					·. •		,0	1.
				:	•					* .	
			•				25X1				
1.5%											•
				•	•					•.	
	Enclosu	re:							•		:
	CIA	A/PID/AB	лв/Р - 262,	/64 (Anno	otated P	hoto En	largemen	ıt)			
	•										÷.
						,		•			
						5.	,	:			
•	-				•			·	1.	* *	
							•		•		
											· .
				÷							· [1]
						•					1 -
	•								.* 	· ·	_
÷ ,				7	()***************	gi i u tat		,			
	· · · · · · · · · · · · · · · · · · ·			ကု ချစ် <u>ဆုံ</u>	ر و في السواد كا						
	<u> </u>										
5-14	521					•					



SEGRET

M/EB 469/64	
25 September	1964
Сору	

MEMORANDUM FOR:

Chief, Defensive Systems Division, OSI

25X1[']

ATTENTION:

THROUGH:

Chief, Requirements Branch, Reconnaissance Group, CGS

FROM:

Chief, CIA/PID (NPIC)

SUBJECT:

Comparison of GUILD Missiles Shown in Moscow May Day Parade, 1964

Parade, 190

REFERENCES:

(a) Requirement C-SI-4-81,434

(b) CIA/PID Project C 880-64

c) TM 30-278, Soviet Tactical Missiles,
Photographic Interpretation Key, SECRET

1. This memorandum in response to your requirement dated 22 May 1964 which requests:

a. Complete mensuration and a line drawing of the GUILD missile seen in the Moscow May Day Parade, 1964.

- b. A comparison of this missile with previously observed GUILD missiles, to determine whether any differences exist in the dimensions and configuration of the nose section of the two missiles.
- 2. The GUILD missile seen in the 1964 May Day Parade revealed a much longer, dark, forward portion of the nose section than had previously been seen on GUILD missiles. This forward section is reportedly red in color, in addition, the nose of this missile appeared sharper than that seen on previous GUILDs.

A mensural analysis from excellent quality hand-held photography was accomplished by the Technical Analysis Branch of TID/NPIC. The results, which are shown in Attachment 1, show this missile to have virtually the same external dimensions as the older model GUILD. Basic dimensions of the older GUILD missile have been included for purposes of comparison, in Attachment 2. These dimensions have been taken from TM 30-278, Soviet Tactical Missiles, Photographic Interpretation Key, SECRET.

The major change in external appearance of the newly observed GUILD appears to be the elongated dark forward section on the nose of the missile.

CROUP 1
Excluded from automotic
dewagtedlen ood
declereification

SEGME

5-14522

SECRET

SUBJECT: Comparison of GUILD Missiles Shown in Moscow May Day Parade, 1964

M/EB 469/64

Therefore, special emphasis was placed upon this feature. In order to determine the presence of any differences in size or configuration, a length of the missile nose was subdivided into nine sections of equal length (each approximately 0.81 feet long). The cross-section diameter at each of these nine locations was calculated for each missile. A comparison of these diameters is shown in Attachment 3.

Twelve photographs of the older GUIID and six of the newer GUIID were utilized. The mensuration was repeated on each photograph utilized, and the diameters presented represent an average of these figures. The dimensions shown are reported by NPIC/TID to be accurate

Based on the results of this comparison, the nose sections of the two missiles appear to have identical dimensions and configurations.

4. This project is considered to be complete.

Enclosures:

1 - Line drawing of newly observed

GUILD missile (CIA/PID/MEB-P-627/64)
2 - Line drawing of older model GUILD
missile (CIA/PID/MEB-P-628/64)

3 - Photograph of nose section of newly identified GUILD missile


. . . .


5-14522

25X1

25X1

25X1






SECRET

FOREIGN TECHNOLOGY DIVISION, AFSC

CONFIDENTIAL



CONFIDENTIAL

DOWNGRADED AT 12 YEAR INTERVALS.

NOT AUTOMATICALLY DECLASSIFIED DOD DIR 5200 10

Comparison of diameters taken in cross-section at corresponding locations on nose sections of both new model and old model Guild (SA-1) Missiles.

Location No.	New Model Guild	:	Old Model Guild
1	.38 feet		.43 feet
2	.76 feet		.79 feet
3	1.14 feet		1.14 feet
- 4	1.44 feet		1.43 feet
5	1.65 feet		1.66 feet
, 6	1.84 feet		1.83 feet
7	1.96 feet		1.95 feet
8	2:05 feet		2.04 feet
. 9	2.12 feet		2.12 feet

Note: Photograph is of the new model Guild.


Attachment 3 CIA/PID/MEB-P-849/64

14522

SECRET

FOREIGN TECHNOLOGY DIVISION, AFSC

CONFIDENTIAL



CONFIDENTIAL

DOWNGRADED AT 12 YEAR INTERVALS, NOT AUTOMATICALLY DECLASSIFIED DOD DIR 5200-10

Comparison of diameters taken in cross-section at corresponding locations on nose sections of both new model and old model Guild (SA-1) Missiles.

Location No.	New Model Guild	,	Old Model Guild
<u>+</u>	.38 feet		•43 feet
2	•76 feet	+ +	•79 feet
·3	1.14 feet		l.l4 feet
4	1.44 feet	•	1.43 feet
.5	1.65 feet		1.66 feet
6	1.84 feet		1.83 feet
7	1.96 feet	2	1.95 feet
8	2.05 feet		2.04 feet
. 9	2.12 feet		2.12 feet

Note: Photograph is of the new model Guild.

Attachment 3 CIA/PID/MEB-P-849/64

14522